

All fishes reported from Uganda

Table 1: 292 species currently present in the country/island (endemic, native, introduced, reintroduced);





Table 2: 3 species possibly present in the country/island (stray, questionable);






Table 3: 5 species demonstrated to be absent in the country/island (extirpated, not established, misidentification, error).









Table 4: 300 species reported from the country/island altogether.








Table 1: 292 species currently present in the country/island.







1 of 1 Do not show all | Jump to: 1 | Go down | Legend | Information gaps | See pictures | Select another country










Family	Species	Author	Info	Occurrence	Common names	Abundance	Max length	Maturity	Remark	Photo
Alestidae	<i>Alestes baremoze</i>	(Joannis, 1835)	Fr	native	Angara (Nyoro)		43.00 cm TL male/unsexed ;40.00 cm TL female		Known from Lake Albert (Ref. 4903), Albert Nile (Ref. 4903) and Murchison Nile (Ref. 4903).	
Alestidae	<i>Alestes dentex</i>	(Linnaeus, 1758)	Fr	native			55.00 cm TL male/unsexed		Occurs in Lake Albert and Murchinson Nile (Ref. 4903).	
Amphiliidae	<i>Amphilius jacksonii</i>	Boulenger, 1912	Fr	native		common (usually seen)	15.00 cm TL male/unsexed		Type locality of the holotype of <i>Amphilius jacksonii</i> : 'Hima River, eastern foot-hills of Ruwenzori, 3500 feet, flowing into Lake George (Ruisamba)' (Ref. 104653). Known from Lake George drainage (Ref. 4903, 51677, 78218, 103388, 104653) and Lake Edward drainage (Ref. 103388).	
Amphiliidae	<i>Amphilius lujani</i>	Thomson & Page, 2015	Fr	native			11.95 cm SL male/unsexed		Type locality of the holotype of <i>Amphilius lujani</i> : 'Uganda, Manafwa River at Bumwangu, Lake Kyoga drainage, Nile basin, 00°56'26.2"N, 34°16'49.2"E' (Ref. 103388). Known from Lake Kyoga drainage (Ref. 103388).	No picture yet.
Cichlidae	<i>Astatoreochromis alluaudi</i>	Pellegrin, 1904	Fr	native			19.00 cm SL male/unsexed		Known from Lake George (Ref. 126033), Lake Edward (Ref. 126033), Lake Kyoga (Ref. 126033), Lake Victoria (Ref. 126033), Lake Nabugabo (Ref.	

									126033) and Lake Nakavali (Ref. 126033).	
Bagridae	<i>Bagrus bajad</i>	(Fabricius, 1775)	Fr	native	La nya (Nyoro), Lanya (Alur), Oreko (Alur)			112 cm FL male/unsexed	Common in the deeper waters of Lake Albert, but also occurring inshore (Ref. 4903). Also found in Kasenyi (Ref. 51686).	
Bagridae	<i>Bagrus degeni</i>	Boulenger, 1906	Fr	native				55.00 cm TL male/unsexed	Known from Lake Victoria (Ref. 1568, 51686). Also Ref. 52118.	
Bagridae	<i>Bagrus docmak</i>	(Fabricius, 1775)	Fr, Fi	native	Ganda (Ganda), Oreko (Gungu), Omukora (Nyankore), Semutundu (Ruuli), Semutundu (Chiga), Ssemutundu (Chiga), Catfish (English), Mboli (Kenya), Omukocho (Konzo), Obanga (Lango), Semutundu (Nyoro)			127 cm TL male/unsexed	Present in lakes George (Ref. 51938), Victoria (widespread), Edward (in shallow water; also in the Kazinga channel), Albert (inshore and in open water) and Kyoga (in open waters; possibly no longer present Ref. 58618), Semliki River, Victoria Nile, Murchinson and Albert Niles (Ref. 4903). Most commonly caught species in Lake Edward (Ref. 51885). Catch percentages in Lake Edward increased from 20% in 1950 to 55% in 1990 (Ref. 51885). Used as a predator in aquaculture projects (Ref. 38089). Reported from Lake Nabugabo (Ref. 4903) but possibly no longer present (Ref. 56070).	
Alestidae	<i>Brycinus jacksonii</i>	(Boulenger, 1912)	Fr	native	Nsoga (Not specified)			27.00 cm SL male/unsexed	Reported from Lakes Victoria and Nabugabo, the Victoria Nile (Ref. 4903) and Malawa River (Ref. 4903, 104653).	
Alestidae	<i>Brycinus macrolepidotus</i>	Valenciennes, 1850	Fr	native				53.00 cm SL male/unsexed	Present in Lake Albert, Albert and Murchinson Niles and Aswa River (Ref. 4903).	






Alestidae	<i>Brycinus nurse</i>	(Rüppell, 1832)	Fr	native			25.00 cm TL male/unsexed	Known from Lake Albert and Aswa River (Ref. 4903).	
Alestidae	<i>Brycinus sadleri</i>	(Boulenger, 1906)	Fr	native	Nsoga (Not specified)		13.80 cm TL male/unsexed	Reported from the Lakes Victoria, Kyoga and Nabugabo; also in Victoria Nile and Aswa River (Ref. 4903).	
Citharinidae	<i>Citharinus citharus</i>	(Geoffroy Saint-Hilaire, 1809)	Fr	native	Aporo (Alur), Mpoi (Gungu), Mpoi (Nyoro)		58.00 cm SL male/unsexed	Known from Lake Albert, Albert Nile and Murchinson Nile (Ref. 4903).	
Citharinidae	<i>Citharinus latus</i>	Müller & Troschel, 1844	Fr	native			84.00 cm SL male/unsexed		
Clariidae	<i>Clariallabes petricola</i>	Greenwood, 1956	Fr	native			8.50 cm SL male/unsexed	Reported from Victoria Nile below Owen-Falls (Ref. 4903, 26960, 104773) and from the northern part of Lake Victoria (Ref. 26960, 104734).	
Clariidae	<i>Clarias alluaudi</i>	Boulenger, 1906	Fr	native	Nsonzi (Kenya), Karakogere (Nyoro), Emale (Chiga), Eyisombi (Konzo)		23.00 cm TL male/unsexed	Known from Lake Kioga, Lake Nabugabo and the Malawa River (Ref. 248).	
Clariidae	<i>Clarias gariepinus</i>	(Burchell, 1822)	Fr	native	Betekay (Tigrigna), Eyisombi (Konzo), Male (Not specified)		170 cm TL male/unsexed	Known from Lakes Victoria, Kyoga, Nabugabo, Kachira, Nakavali and Kijanebalola, from affluent rivers of Lake Victoria, from the Victoria Nile and from the Aswa River (Ref. 4903).	
Clariidae	<i>Clarias hilli</i>	Fowler, 1936	Fr	native			19.60 cm TL male/unsexed	Present in the Lake Albert system (Ref. 78218). Also Ref. 248.	No picture yet.
Clariidae	<i>Clarias liocephalus</i>	Boulenger, 1898	Fr, Fi	native	Nsonzi (Kenya), Emale (Chiga), Eyisombi (Konzo)		32.00 cm TL male/unsexed	Type locality of the holotype of <i>Clarias phillipsi</i> . 'Lake Chahafi' (Ref. 97614). Known from Lake Chahafi and Lake Mutanda (Ref. 248, 97614).	
								Present in Lake Victoria, Lake	

Clariidae	<i>Clarias wernerii</i>	Boulenger, 1906	Fr	native	Emale (Chiga)		23.00 cm TL male/unsexed		Kioga and Lake Mpologoma (Ref. 248). Also Ref. 2988, 49807.	
Cichlidae	<i>Coptodon rendalli</i>	(Boulenger, 1897)	Fr	introduced	Ngege (Swahili)		45.00 cm TL male/unsexed			
Cichlidae	<i>Coptodon zillii</i>	(Gervais, 1848)	Fr, Aq	native	Ngege (Swahili), Engege (Chiga), Erihere (Konzo), Isiswe (Konzo)		40.00 cm SL male/unsexed		Introduced in Lake Victoria to feed on macrophytes which were not being utilized by any commercially important fish (Ref. 7270). Also Ref. 74657.	
Anabantidae	<i>Ctenopoma muriei</i>	(Boulenger, 1906)	Fr	native	Kizinzi (Kenya)		6.00 cm SL male/unsexed ;7.00 cm SL female		Found in Lakes Victoria, Kioga and Edward (Ref. 4903) and in the Katonga River (Ref. 85068). Also Ref. 31439.	
Mormyridae	<i>Cyphomyrus grahmi</i>	(Norman, 1928)	Fr	native	Ndongre (Kenya), Dono (Lango), Kamtontoru (Nyoro)		25.00 cm SL male/unsexed		Present in Lake Victoria and affluent rivers, and in Lake Kyoga (Ref. 4903).	
Cyprinidae	<i>Cyprinus carpio</i>	Linnaeus, 1758	Fr, Aq	introduced			120 cm TL male/unsexed			
Distichodontidae	<i>Distichodus nefasch</i>	(Bonnaterre, 1788)	Fr	native	Wachone (Nyoro)		83.00 cm TL male/unsexed		Known from Lake Albert (Ref. 4903, 49805) and Murchinson Nile (Ref. 4903).	No picture yet.
Danionidae	<i>Engraulicypris bredoii</i>	Poll, 1945	Fr	native			4.50 cm TL male/unsexed			No picture yet.
Cyprinidae	<i>Enteromius alberti</i>	(Poll, 1939)	Fr	native			7.43 cm SL male/unsexed		Known from river systems of Lake Edward basin (Ref. 127947), including Kazinga Channel (Ref. 127947) and Lake George (Ref. 127947); also known from Malawa River in Lake Victoria basin (Ref. 4903, 27628, 104796, 127947).	
	<i>Enteromius</i>	(Boulenger,			Enzuguri (Chiga),		5.40 cm SL		Known from Lake Victoria (Ref. 2801, 4903, 27628, 104790), Lake Edward	



Cyprinidae	apleurogramma	1911)	Fr	native	Enzunguli (Konzo)	male/unsexed	3.8 SL	(Ref. 2801, 4903, 27628, 104790) and Aswa River (Ref. 4903, 27628).	
Cyprinidae	Enteromius jacksoni	(Günther, 1889)	Fr	native		11.60 cm SL male/unsexed		Present in Lake Victoria basin (Ref. 2988, 4903) and Malawa River (Ref. 4903).	
Cyprinidae	Enteromius kerstenii	(Peters, 1868)	Fr	native		9.00 cm SL male/unsexed		Known from Lake Edward (Ref. 2801, 4903, 55624, 104790), Lake Kyoga (Ref. 4903, 27628, 104790), Lake Victoria (Ref. 2801, 4903, 104790), Lake Bunyoni and Lake Mutanda (Ref. 4903, 104790).	
Cyprinidae	Enteromius magdalenae	(Boulenger, 1906)	Fr	native		6.80 cm SL male/unsexed		Known from Lakes Nabugabo and Victoria (Ref. 4903).	No picture yet.
Cyprinidae	Enteromius neumayeri	(Fischer, 1884)	Fr	native		11.80 cm SL male/unsexed		Known from Lake Victoria and affluent streams, Malawa River, Mpanga River, Hima River, Kirima and Mongiro Rivers (Semliki River drainage) (Ref. 4903, 104790) and Lake Albert basin (Ref. 4903, 27628, 104790). Also Ref. 2801.	
Cyprinidae	Enteromius paludinosus	(Peters, 1852)	Fr	native	Enzuguri (Chiga), Enzunguli (Konzo)	15.00 cm SL male/unsexed		Occurs in Lakes Victoria and Kyoga, and affluent rivers (Ref. 4903).	
Cyprinidae	Enteromius pellegrini	(Poll, 1939)	Fr	native	Enzuguri (Chiga), Enzunguli (Konzo)	11.70 cm SL male/unsexed		Occurs in Lake Édouard (Ref. 27628).	
Cyprinidae	Enteromius perince	(Rüppell, 1835)	Fr	native	Enzuguri (Chiga), Enzunguli (Konzo)	8.90 cm SL male/unsexed		Known from Lake Albert (Ref. 4903) and Aswa River (Ref. 4903). Reports from Lake Edward system (Ref. 4903, 55624) are misidentifications for <i>Enteromius alberti</i> or <i>E. cf. mimus</i> (Ref. 127947).	No picture yet.
								Caught off Dwaji	

Cyprinidae	<i>Enteromius profundus</i>	(Greenwood, 1970)	Fr	native			6.30 cm SL male/unsexed	Island (Ref. 105016). Also Ref. 52331.	
Cyprinidae	<i>Enteromius radiatus</i>	(Peters, 1853)	Fr	native			12.00 cm SL male/unsexed	Known from Lake Victoria and affluent rivers (Ref. 4903, 104790), Lake Nabugabo (Ref. 4903) and Aswa River (Ref. 4903, 104790, 105015)	
Cyprinidae	<i>Enteromius yongei</i>	(Whitehead, 1960)	Fr	native			5.60 cm SL male/unsexed	Reported from the Malawa River (Ref. 4903) and from the Aswa River, 20 miles north of Soroti (Ref. 105002).	
Esocidae	<i>Esox lucius</i>	Linnaeus, 1758	Fr, Aq	introduced			137 cm FL male/unsexed ;150 cm TL female		
Cyprinidae	<i>Garra dembeensis</i>	(Rüppell, 1835)	Fr	native			11.00 cm SL male/unsexed	Known from Lake Victoria and Victoria Nile (Ref. 4903).	
Cyprinidae	<i>Garra hindii</i>	(Boulenger, 1905)	Fr	native			7.00 cm TL male/unsexed		No picture yet.
Mormyridae	<i>Gnathonemus longibarbis</i>	(Hilgendorf, 1888)	Fr	native	Ekumbi (Kenyi), Mpumbi (Lango), Nkoiro (Nyoro), Nkoiro (Lango)		36.00 cm TL male/unsexed	Known from Lake Victoria (Ref. 1878, 4903), Lake Kyoga and Lake Nabugabo (Ref. 4903).	
Cichlidae	<i>Haplochromis acidens</i>	Greenwood, 1967	Fr	native			12.80 cm SL male/unsexed		
Cichlidae	<i>Haplochromis aelocephalus</i>	Greenwood, 1959	Fr	native			12.00 cm SL male/unsexed		
Cichlidae	<i>Haplochromis aeneocolor</i>	Greenwood, 1973	Fr	native	Entonga (Chiga), Entonga (Konzo)		7.50 cm SL male/unsexed		
Cichlidae	<i>Haplochromis akika</i>	Lippitsch, 2003	Fr	endemic			7.70 cm SL male/unsexed	Type locality of holotype of <i>H. akika</i> : 'Uganda, Lake George, "close inshore, near reeds, in a bay of Akika Island" ' (Ref. 52072). Known	No picture yet.

									from Lake George (Ref. 52072).	
Cichlidae	<i>Haplochromis albertianus</i>	Regan, 1929	Fr	native				10.00 cm TL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis altigenis</i>	Regan, 1922	Fr	native				20.20 cm SL male/unsexed		
Cichlidae	<i>Haplochromis ampullarostratus</i>	Schraml, 2004	Fr	endemic				7.20 cm SL male/unsexed ;6.80 cm SL female	Type locality of the holotype of <i>H. ampullarostratus</i> : 'Lake Kachira, Uganda, Lulagala' (Ref. 52362). Known only from Lake Kachira (Ref. 52362).	
Cichlidae	<i>Haplochromis angustifrons</i>	Boulenger, 1914	Fr	native	Entonga (Chiga), Entonga (Konzo)			9.00 cm SL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis annectidens</i>	Trewavas, 1933	Fr	native				6.70 cm SL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis apogonoides</i>	Greenwood, 1967	Fr	native				13.20 cm SL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis aquila</i>	Vranken, Van Steenberge, Heylen, Decru & Snoeks, 2022	Fr	endemic				12.29 cm SL male/unsexed	Type locality of the holotype of <i>Haplochromis aquila</i> : 'Uganda: Lake Edward, Kayanja offshore; 0°05'31.2" S, 29°45'30.3" E' (Ref. 126312). Known from Lake Edward (Ref. 126312).	No picture yet.
Cichlidae	<i>Haplochromis arcanus</i>	Greenwood & Gee, 1969	Fr	native				14.20 cm SL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis argenteus</i>	Regan, 1922	Fr	native				20.20 cm SL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis artaxerxes</i>	Greenwood, 1962	Fr	native				14.70 cm SL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis aureus</i>	Vranken, Van Steenberge, Mbalassa & Snoeks, 2023	Fr	native				11.65 cm SL male/unsexed	Type locality of the holotype of <i>Haplochromis aureus</i> : 'Lake Edward, pelagic catch, open water near border: 0°16'34.5"S 29°42'44.0"E' (Ref. 128938). Known from Lake Edward (Ref. 128938).	No picture yet.
Cichlidae	<i>Haplochromis avium</i>	Regan, 1929	Fr	native				5.20 cm TL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis barbarae</i>	Greenwood, 1967	Fr	native				10.60 cm SL male/unsexed		
Cichlidae	<i>Haplochromis bartoni</i>	Greenwood, 1962	Fr	native				19.50 cm SL male/unsexed		No picture yet.

Cichlidae	Haplochromis bayoni	(Boulenger, 1909)	Fr	native			15.40 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis beadlei	Trewavas, 1933	Fr	native			11.80 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis bicolor	Boulenger, 1906	Fr	native			15.00 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis boops	Greenwood, 1967	Fr	native			19.40 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis brownae	Greenwood, 1962	Fr	native			10.40 cm SL male/unsexed			
Cichlidae	Haplochromis bullatus	Trewavas, 1938	Fr	native			6.50 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis cassius	Greenwood & Barel, 1978	Fr	native			9.80 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis cavifrons	(Hilgendorf, 1888)	Fr	native			19.50 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis chilotes	(Boulenger, 1911)	Fr	native			14.80 cm SL male/unsexed			
Cichlidae	Haplochromis chlorochrous	Greenwood & Gee, 1969	Fr	native			12.00 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis chromogynus	Greenwood, 1959	Fr	native			11.00 cm SL male/unsexed			
Cichlidae	Haplochromis cinctus	Greenwood & Gee, 1969	Fr	native			8.80 cm SL male/unsexed			
Cichlidae	Haplochromis cinereus	(Boulenger, 1906)	Fr	native			8.10 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis cnester	Witte & Witte-Maas, 1981	Fr	native			8.10 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis commutabilis	Schraml, 2004	Fr	endemic			10.40 cm SL male/unsexed ;8.50 cm SL female		Type locality of the holotype of <i>H. commutabilis</i> : 'Lake Kachira, Uganda, Lulagala' (Ref. 52362). Known only from Lake Kachira (Ref. 52362).	
Cichlidae	Haplochromis concilians	Vranken, Van Steenberge & Snoeks, 2020	Fr	endemic			8.31 cm SL male/unsexed		Type locality of the holotype of <i>Haplochromis concilians</i> : 'Kayanja offshore, Lake Edward: 0°05'34.8"S, 29°45'28.8"E' (Ref. 126074). Endemic to Lake Edward (Ref.	No picture yet.







									126074).	
Cichlidae	<i>Haplochromis crassilabris</i>	Boulenger, 1906	Fr	native					15.00 cm TL male/unsexed	
Cichlidae	<i>Haplochromis crocopeplus</i>	Greenwood & Barel, 1978	Fr	native					10.10 cm SL male/unsexed	No picture yet.
Cichlidae	<i>Haplochromis cronus</i>	Greenwood, 1959	Fr	native					13.50 cm SL male/unsexed	No picture yet.
Cichlidae	<i>Haplochromis cryptodon</i>	Greenwood, 1959	Fr	native					13.00 cm SL male/unsexed	No picture yet.
Cichlidae	<i>Haplochromis cryptogramma</i>	Greenwood & Gee, 1969	Fr	native					9.40 cm SL male/unsexed	No picture yet.
Cichlidae	<i>Haplochromis curvidens</i>	Vranken, Van Steenberge, Heylen, Decru & Snoeks, 2022	Fr	endemic					11.20 cm SL male/unsexed	Type locality of the holotype of <i>Haplochromis curvidens</i> : 'Uganda: Lake Edward; 0°24'16.0" S, 29°46'24.8" E' (Ref. 126312). Known from Lake Edward (Ref. 126312).
Cichlidae	<i>Haplochromis decticostoma</i>	Greenwood & Gee, 1969	Fr	native					22.90 cm SL male/unsexed	No picture yet.
Cichlidae	<i>Haplochromis degeni</i>	(Boulenger, 1906)	Fr	native					15.40 cm SL male/unsexed	
Cichlidae	<i>Haplochromis dentex</i>	Regan, 1922	Fr	native					15.90 cm SL male/unsexed	No picture yet.
Cichlidae	<i>Haplochromis dichrourus</i>	Regan, 1922	Fr	native					18.60 cm SL male/unsexed	No picture yet.
Cichlidae	<i>Haplochromis diplotaenia</i>	Regan & Trewavas, 1928	Fr	native					11.00 cm SL male/unsexed	No picture yet.
Cichlidae	<i>Haplochromis dolichorhynchus</i>	Greenwood & Gee, 1969	Fr	native					11.90 cm SL male/unsexed	No picture yet.
Cichlidae	<i>Haplochromis dolorosus</i>	Trewavas, 1933	Fr	native	Entonga (Chiga), Entonga (Konzo)				12.00 cm TL male/unsexed	Known from Chambura River flowing into Kazinga Channel in Uganda (Ref. 26282).
Cichlidae	<i>Haplochromis eduardianus</i>	(Boulenger, 1914)	Fr	native					7.90 cm SL male/unsexed	No picture yet.
Cichlidae	<i>Haplochromis eduardii</i>	Regan, 1921	Fr	native	Entonga (Chiga), Entonga (Konzo)				14.50 cm TL male/unsexed	
Cichlidae	<i>Haplochromis elegans</i>	Trewavas, 1933	Fr	native	Entonga (Chiga), Entonga (Konzo)				7.30 cm male/unsexed	No picture yet.
Cichlidae	<i>Haplochromis empodisma</i>	Greenwood, 1960	Fr	native					11.70 cm SL male/unsexed	No picture yet.
Cichlidae	<i>Haplochromis engystoma</i>	Trewavas, 1933	Fr	native	Entonga (Chiga), Entonga				8.60 cm TL male/unsexed	

					(Konzo)				
Cichlidae	<i>Haplochromis erutus</i>	Vranken, Van Steenberge & Snoeks, 2020	Fr	native			8.34 cm SL male/unsexed	Type locality of the holotype of <i>Haplochromis erutus</i> : 'Kagoro fishing ground, open water, Lake Edward: 0°12'50.1" S, 29°49'19.7" E' (Ref. 126074). Known from Lake Edward (Ref. 126074).	No picture yet.
Cichlidae	<i>Haplochromis erythrocephalus</i>	Greenwood & Gee, 1969	Fr	native			7.70 cm SL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis estor</i>	Regan, 1929	Fr	native			17.00 cm SL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis eutaenia</i>	Regan & Trewavas, 1928	Fr	native			10.50 cm TL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis expectatus</i>	Schraml, 2004	Fr	endemic			8.50 cm SL male/unsexed ;8.10 cm SL female	Type locality of the holotype of <i>H. expectatus</i> : 'Lake Kijanebalola, Uganda, südlich von Rakai' (Ref. 52362). Only known from Lake Kijanebalola (Ref. 52362).	
Cichlidae	<i>Haplochromis falcatus</i>	Vranken, Van Steenberge, Heylen, Decru & Snoeks, 2022	Fr	native			13.71 cm SL male/unsexed	Type locality of the holotype of <i>Haplochromis falcatus</i> : 'Uganda: Lake Edward, Kayanja offshore; 0°05'31.2" S, 29°45'30.3" E' (Ref. 126312). Known from Lake Edward (Ref. 126312).	No picture yet.
Cichlidae	<i>Haplochromis flavipinnis</i>	(Boulenger, 1906)	Fr	native			15.60 cm SL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis fuscus</i>	Regan, 1925	Fr	native	Entonga (Chiga), Entonga (Konzo)		9.50 cm TL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis fusiformis</i>	Greenwood & Gee, 1969	Fr	native			11.00 cm SL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis gilberti</i>	Greenwood & Gee, 1969	Fr	native			15.00 cm SL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis glaucus</i>	Vranken, Van Steenberge, Heylen, Decru & Snoeks, 2022	Fr	native			15.83 cm SL male/unsexed	Type locality of the holotype of <i>Haplochromis glaucus</i> : 'Uganda: Lake Edward, Kayanja offshore; 0°05'34.8" S, 29°45'28.8" E' (Ref. 126312). Known from Lake Edward (Ref. 126312).	No picture yet.
Cichlidae	<i>Haplochromis gowersii</i>	Trewavas, 1928	Fr	native			22.40 cm SL male/unsexed		No picture yet.



Cichlidae	Haplochromis gracilifur	Vranken, Van Steenberge & Snoeks, 2019	Fr	endemic			10.28 cm SL male/unsexed	Type locality of the holotype of <i>Haplochromis gracilifur</i> : 'Kayanja offshore, Lake Edward: 0°05'34.8"S 29°45'28.8"E' (Ref. 127594). Known from Lake Edward (Ref. 127594).	No picture yet.
Cichlidae	Haplochromis granti	Boulenger, 1906	Fr	native			12.20 cm SL male/unsexed		No picture yet.
Cichlidae	Haplochromis guarti	(Pellegrin, 1904)	Fr	native			17.70 cm SL male/unsexed		No picture yet.
Cichlidae	Haplochromis heusinkveldi	Witte & Witte-Maas, 1987	Fr	native			7.60 cm SL male/unsexed		No picture yet.
Cichlidae	Haplochromis hiatus	Hoogerhoud & Witte, 1981	Fr	native			11.20 cm SL male/unsexed		No picture yet.
Cichlidae	Haplochromis humilior	(Boulenger, 1911)	Fr	native			9.00 cm SL male/unsexed		No picture yet.
Cichlidae	Haplochromis iris	Hoogerhoud & Witte, 1981	Fr	native			11.60 cm SL male/unsexed		No picture yet.
Cichlidae	Haplochromis ishmaeli	Boulenger, 1906	Fr	native			13.60 cm SL male/unsexed		
Cichlidae	Haplochromis katonga	Schraml & Tichy, 2010	Fr	endemic			6.87 cm SL male/unsexed	Type locality of the holotype of <i>Haplochromis katonga</i> : 'Katonga River at the village of Kabagole, Uganda, (0°11'53.74"N; 30°53'33.98"E)' (Ref. 85068). Known from Katonga River (Ref. 85068).	No picture yet.
Cichlidae	Haplochromis kimondo	Vranken, Van Steenberge, Heylen, Decru & Snoeks, 2022	Fr	native			17.13 cm SL male/unsexed	Type locality of the holotype of <i>Haplochromis kimondo</i> : 'Uganda: Lake Edward, Kayanja offshore; 0°05'34.8" S, 29°45'28.8" E' (Ref. 126312). Known from Lake Edward (Ref. 126312).	No picture yet.
Cichlidae	Haplochromis labiatus	Trewavas, 1933	Fr	native	Entonga (Chiga), Entonga (Konzo)		10.90 cm SL male/unsexed	Known from Lake Edward (Ref. 126507). Also Ref. 4983.	
Cichlidae	Haplochromis labriformis	(Nichols & La Monte, 1938)	Fr	native			6.20 cm SL male/unsexed		No picture yet.
Cichlidae	Haplochromis lacrimosus	(Boulenger, 1906)	Fr	native			9.70 cm SL male/unsexed		No picture yet.
Cichlidae	Haplochromis laparogramma	Greenwood & Gee, 1969	Fr	native			8.50 cm SL male/unsexed		No picture yet.

Cichlidae	Haplochromis latifasciatus	Regan, 1929	Fr	native			11.00 cm TL male/unsexed			
Cichlidae	Haplochromis latifrons	Vranken, Van Steenberge, Heylen, Decru & Snoeks, 2022	Fr	endemic			15.82 cm SL male/unsexed		Type locality of the holotype of <i>Haplochromis latifrons</i> : 'Uganda: Lake Edward; 0°24'16.0" S, 29°46'24.8" E' (Ref. 126312). Known from Lake Edward (Ref. 126312).	No picture yet.
Cichlidae	Haplochromis limax	Trewavas, 1933	Fr	native	Entonga (Chiga), Entonga (Konzo)		8.40 cm SL male/unsexed			
Cichlidae	Haplochromis lividus	Greenwood, 1956	Fr	native			9.00 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis loati	Greenwood, 1971	Fr	native			5.20 cm TL male/unsexed			No picture yet.
Cichlidae	Haplochromis lobatus	Vranken, Van Steenberge, Kayenbergh & Snoeks, 2020	Fr	endemic			12.36 cm SL male/unsexed		Type locality of the holotype of <i>Haplochromis lobatus</i> : 'Mouth of Kazinga Channel, Lake Edward 0°12'32.4"S 29°53'06.0"E' (Ref. 126507). Known from Lake Edward (Ref. 126507).	No picture yet.
Cichlidae	Haplochromis longirostris	(Hilgendorf, 1888)	Fr	native			14.50 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis macrogathus	Regan, 1922	Fr	native			17.40 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis macrops	(Boulenger, 1911)	Fr	native			9.10 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis macropsoides	Greenwood, 1973	Fr	native	Entonga (Chiga), Entonga (Konzo)		7.70 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis maculipinna	(Pellegrin, 1913)	Fr	native			16.60 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis mahagiensis	David & Poll, 1937	Fr	native			8.50 cm TL male/unsexed			No picture yet.
Cichlidae	Haplochromis malacophagus	Poll & Damas, 1939	Fr	native			12.00 cm TL male/unsexed			No picture yet.
Cichlidae	Haplochromis mandibularis	Greenwood, 1962	Fr	native			17.40 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis martini	(Boulenger, 1906)	Fr	native			10.40 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis maxillaris	Trewavas, 1928	Fr	native			16.00 cm SL male/unsexed			


									
Cichlidae	<i>Haplochromis megalops</i>	Greenwood & Gee, 1969	Fr	native			8.10 cm SL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis melanopterus</i>	Trewavas, 1928	Fr	native			12.70 cm SL male/unsexed		
Cichlidae	<i>Haplochromis melanopus</i>	Regan, 1922	Fr	native			10.00 cm TL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis melichrous</i>	Greenwood & Gee, 1969	Fr	native			10.70 cm SL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis mentatus</i>	Regan, 1925	Fr	endemic	Entonga (Chiga), Entonga (Konzo)		11.50 cm TL male/unsexed	Type locality of the holotype of <i>Haplochromis mentatus</i> : 'Lake Edward, Central Africa' (Ref. 126325). Known from Lake Edward (Ref. 126312) and Lake George (Ref. 126312).	No picture yet.
Cichlidae	<i>Haplochromis mento</i>	Regan, 1922	Fr	native			17.80 cm SL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis michaeli</i>	Trewavas, 1928	Fr	native			14.50 cm SL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis microdon</i>	(Boulenger, 1906)	Fr	native			14.80 cm SL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis molossus</i>	Vranken, Van Steenberge & Snoeks, 2019	Fr	native			10.94 cm SL male/unsexed	Type locality of the holotype of <i>Haplochromis molossus</i> : 'Mukutu Kihinga, rocky offshore of Mweya, Lake Edward: 0°11'31.2"S 29°52'26.4"E' (Ref. 127594). Known from Lake Edward (Ref. 127594) and Lake George (Ref. 127594).	No picture yet.
Cichlidae	<i>Haplochromis mylergates</i>	Greenwood & Barel, 1978	Fr	native			13.70 cm SL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis mylodon</i>	Greenwood, 1973	Fr	native	Entonga (Chiga), Entonga (Konzo)		11.50 cm SL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis nanoserranus</i>	Greenwood & Barel, 1978	Fr	native			7.60 cm SL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis nigrescens</i>	(Pellegrin, 1909)	Fr	native			11.50 cm TL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis nigricans</i>	(Boulenger, 1906)	Fr	native			9.40 cm SL male/unsexed	Known from Entebbe (Ref. 27668).	









									
Cichlidae	<i>Haplochromis nigripinnis</i>	Regan, 1921	Fr	native	Entonga (Chiga), Entonga (Konzo)		6.80 cm SL male/unsexed		
Cichlidae	<i>Haplochromis niloticus</i>	Greenwood, 1960	Fr	native			10.20 cm SL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis nubilus</i>	(Boulenger, 1906)	Fr	native	Entonga (Chiga), Entonga (Konzo)		9.30 cm SL male/unsexed	Type locality of lectotype of <i>H. nubilus</i> : 'Uganda, Lake Victoria, near Entebbe' (Ref. 52072). Known from Lake Victoria (Ref. 52072). Reported from the Victoria Nile (Ref. 98462). Also Ref. 1568, 2989.	
Cichlidae	<i>Haplochromis nuchisquamulatus</i>	(Hilgendorf, 1888)	Fr	native			11.30 cm SL male/unsexed		
Cichlidae	<i>Haplochromis nyanzae</i>	Greenwood, 1962	Fr	native			17.10 cm SL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis nyererei</i>	Witte-Maas & Witte, 1985	Fr	native			7.70 cm SL male/unsexed		
Cichlidae	<i>Haplochromis obesus</i>	(Boulenger, 1906)	Fr	native			17.00 cm SL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis obliquidens</i>	(Hilgendorf, 1888)	Fr	native			8.90 cm SL male/unsexed		
Cichlidae	<i>Haplochromis obtusidens</i>	Trewavas, 1928	Fr	native			11.40 cm SL male/unsexed		No picture yet.
Cichlidae	<i>Haplochromis oligolepis</i>	Lippitsch, 2003	Fr	endemic			8.25 cm SL male/unsexed	Type locality of holotype of <i>H. oligolepis</i> : 'Uganda, Lake Victoria, near Entebbe' (Ref. 52072). Known from Lake Victoria (Ref. 52072).	No picture yet.
					Entonga				





Cichlidae	Haplochromis oregosoma	Greenwood, 1973	Fr	native	(Chiga), Entonga (Konzo)		7.30 cm SL male/unsexed		No picture yet.
Cichlidae	Haplochromis orthostoma	Regan, 1922	Fr	native			9.10 cm SL male/unsexed		
Cichlidae	Haplochromis pachycephalus	Greenwood, 1967	Fr	native			23.20 cm SL male/unsexed		No picture yet.
Cichlidae	Haplochromis pallidus	(Boulenger, 1911)	Fr	native			7.40 cm SL male/unsexed		No picture yet.
Cichlidae	Haplochromis pappenheimi	(Boulenger, 1914)	Fr	native	Entonga (Chiga), Entonga (Konzo)		8.75 cm SL male/unsexed	Type locality of the lectotype of <i>Tilapia pappenheimi</i> : 'Albert-Eduard-See', i.e. former name of Lake Edward (Ref. 49843, 128938; lectotype by Ref. 128451). Known from Lake Edward (Ref. 128938). Published information from Lake George and the Kazinga Channel (Ref. 128451) most likely refers to <i>Haplochromis pelagicus</i> (Ref. 128938).	No picture yet.
Cichlidae	Haplochromis paradoxus	(Lippitsch & Kaufman, 2003)	Fr	native			7.45 cm SL male/unsexed	Type locality of the holotype <i>Pyxichromis paradoxus</i> : 'directly off Katwe fish landing, Katwe Town, Lake Edward' (Ref. 51927). Known from Lake Edward (Ref. 51927, 127594).	No picture yet.
Cichlidae	Haplochromis paraguayarti	Greenwood, 1967	Fr	native			15.60 cm SL male/unsexed		
Cichlidae	Haplochromis paraplagiostoma	Greenwood & Gee, 1969	Fr	native			9.80 cm SL male/unsexed		No picture yet.
Cichlidae	Haplochromis pardus	Vranken, Van Steenberge, Heylen, Decru & Snoeks, 2022	Fr	endemic			9.61 cm SL male/unsexed	Type locality of the holotype of <i>Haplochromis pardus</i> : 'Uganda: Lake Edward, Mukutu Kihinga, rocky offshore of Mweya; 0°11'31.2" S, 29°52'26.4" E' (Ref. 126312). Known from Lake Edward (Ref. 126312).	No picture yet.
Cichlidae	Haplochromis paropijs	Greenwood & Gee, 1969	Fr	native			8.70 cm SL male/unsexed		No picture yet.


Cichlidae	Haplochromis parorthostoma	Greenwood, 1967	Fr	native			11.70 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis parvidens	(Boulenger, 1911)	Fr	native			16.30 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis pelagicus	Vranken, Van Steenberge, Mbalassa & Snoeks, 2023	Fr	native			10.16 cm SL male/unsexed		Type locality of the holotype of <i>Haplochromis pelagicus</i> : 'Lake Edward, pelagic catch, open water near border: 0°16'34.5"S 29°42'44.0"E' (Ref. 128938). Known from Lake Edward (Ref. 128938), Lake George (Ref. 128451, 128938) and Kazinga Channel (Ref. 128938).	No picture yet.
Cichlidae	Haplochromis pellegrini	Regan, 1922	Fr	native			10.40 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis percoides	Boulenger, 1906	Fr	native			9.30 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis perrieri	(Pellegrin, 1909)	Fr	native			6.00 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis pharyngalis	Poll & Damas, 1939	Fr	native	Entonga (Chiga), Entonga (Konzo)		10.24 cm SL male/unsexed		Type locality of the holotype of <i>Haplochromis petronius</i> : 'from Kashaka Crater, Lake George' (Ref. 128451). Known from Lake Edward (Ref. 128436), Kazinga Channel (Ref. 128436) and Lake George (Ref. 4983, 128436, 128451).	
Cichlidae	Haplochromis pharyngomyilus	Regan, 1929	Fr	native			12.60 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis phytophagus	Greenwood, 1966	Fr	native			8.60 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis piceatus	Greenwood & Gee, 1969	Fr	native			9.00 cm SL male/unsexed			
Cichlidae	Haplochromis pitmani	Fowler, 1936	Fr	native			5.50 cm TL male/unsexed			No picture yet.
Cichlidae	Haplochromis plagiodon	Regan & Trewavas, 1928	Fr	native			8.50 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis plagiostoma	Regan, 1922	Fr	native			14.70 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis planus	Vranken, Van Steenberge & Snoeks, 2020	Fr	endemic			8.20 cm SL male/unsexed		Type locality of the holotype of <i>Haplochromis planus</i> : 'Rwenshama, rocky shore, Lake Edward: 0°24'05.7" S, 29°46'35.1" E' (Ref. 126074). Known from Lake	No picture yet.










								Edward (Ref. 126074).	
Cichlidae	Haplochromis plutonius	Greenwood & Barel, 1978	Fr	native			9.60 cm SL male/unsexed		No picture yet.
Cichlidae	Haplochromis prodromus	Trewavas, 1935	Fr	native			13.00 cm SL male/unsexed		No picture yet.
Cichlidae	Haplochromis prognathus	(Pellegrin, 1904)	Fr	native			14.10 cm SL male/unsexed		No picture yet.
Cichlidae	Haplochromis pseudopellegrini	Greenwood, 1967	Fr	native			15.00 cm SL male/unsexed		No picture yet.
Cichlidae	Haplochromis ptistes	Greenwood & Barel, 1978	Fr	native			10.60 cm SL male/unsexed		No picture yet.
Cichlidae	Haplochromis pyrrocephalus	Witte & Witte-Maas, 1987	Fr	native			7.30 cm SL male/unsexed		
Cichlidae	Haplochromis quasimodo	Vranken, Van Steenberge, Heyle, Decru & Snoeks, 2022	Fr	native			16.49 cm SL male/unsexed	Type locality of the holotype of <i>Haplochromis quasimodo</i> : 'Uganda: Lake Edward; 0°21'31.7" S, 29°43'17.7" E; deep catch, open water about 30 m deep' (Ref. 126312). Known from Lake Edward (Ref. 126312).	No picture yet.
Cichlidae	Haplochromis relictidens	Vranken, Van Steenberge & Snoeks, 2019	Fr	native			11.29 cm SL male/unsexed	Type locality of the holotype of <i>Haplochromis relictidens</i> : 'Mouth of Kazinga Channel, hard substrate, Lake Edward; 0°12'14.4"S 29°52'37.2"E' (Ref. 127594). Known from Lake Edward (Ref. 127594) and Lake George (Ref. 127594).	No picture yet.
Cichlidae	Haplochromis retrodens	(Hilgendorf, 1888)	Fr	native			14.40 cm SL male/unsexed		No picture yet.
Cichlidae	Haplochromis rex	Vranken, Van Steenberge, Heyle, Decru & Snoeks, 2022	Fr	native			15.48 cm SL male/unsexed	Type locality of the holotype of <i>Haplochromis rex</i> : 'Uganda: Lake Edward; 0°24'16.0" S, 29°46'24.8" E' (Ref. 126312). Known from Lake Edward (Ref. 126312).	No picture yet.
Cichlidae	Haplochromis riponianus	(Boulenger, 1911)	Fr	native			10.40 cm SL male/unsexed		No picture yet.
Cichlidae	Haplochromis sauvagei	(Pfeffer, 1896)	Fr	native			10.50 cm SL male/unsexed		No picture yet.
Cichlidae	Haplochromis saxicola	Greenwood, 1960	Fr	native			12.30 cm SL male/unsexed		No picture yet.
Cichlidae	Haplochromis schubotzi	Boulenger, 1914	Fr	native	Entonga (Chiga), Entonga (Konzo)		12.50 cm SL male/unsexed		No picture yet.
					Entonga				

Cichlidae	Haplochromis schubotziellus	Greenwood, 1973	Fr	native	(Chiga), Entonga (Konzo)		7.90 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis serranus	(Pfeffer, 1896)	Fr	native			20.50 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis serridens	Regan, 1925	Fr	native	Entonga (Chiga), Entonga (Konzo)		8.00 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis simba	Vranken, Van Steenberge, Heylen, Decru & Snoeks, 2022	Fr	native			10.90 cm SL male/unsexed		Type locality of the holotype of <i>Haplochromis simba</i> : 'Uganda: Lake Edward; 0°24'16.0" S, 29°46'24.8" E' (Ref. 126312). Known from Lake Edward (Ref. 126312).	No picture yet.
Cichlidae	Haplochromis simotes	(Boulenger, 1911)	Fr	native			8.66 cm SL male/unsexed		Known from Victoria Nile near Jinja in Kakindu and Ripon Falls.	No picture yet.
Cichlidae	Haplochromis simpsoni	Greenwood, 1965	Fr	native			11.40 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis spekii	(Boulenger, 1906)	Fr	native			22.00 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis squamipinnis	Regan, 1921	Fr	native	Entonga (Chiga), Entonga (Konzo)		20.20 cm SL male/unsexed		Known from Lake Edward (Ref. 126312), Kazinga Channel (Ref. 126312) and Lake George (Ref. 126312). Introduced into Lake Kachira, Lake Victoria drainaga (Ref. 126312).	
Cichlidae	Haplochromis squamulatus	Regan, 1922	Fr	native			19.80 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis sulphureus	Greenwood & Barel, 1978	Fr	native			10.90 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis taurinus	Trewavas, 1933	Fr	endemic	Entonga (Chiga), Entonga (Konzo)		14.00 cm SL male/unsexed		Type locality of the holotype of <i>Haplochromis taurinus</i> : 'Lake Edward' (Ref. 55985, 127594). Known from Lake Edward (Ref. 55985), Kazinga Channel (Ref. 127594) and Lake George (Ref. 127594)..	No picture yet.
Cichlidae	Haplochromis teegelaari	Greenwood & Barel, 1978	Fr	native			10.10 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis teunisrasi	Witte & Witte-Maas, 1981	Fr	native			9.60 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis theliodon	Greenwood, 1960	Fr	native			9.50 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis thuragnathus	Greenwood, 1967	Fr	native			20.00 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis tridens	Regan & Trewavas, 1928	Fr	native			11.90 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis tyrianthinus	Greenwood & Gee, 1969	Fr	native			10.50 cm SL male/unsexed			No picture yet.
Cichlidae	Haplochromis vanoijeni	de Zeeuw & Witte, 2010	Fr	native			8.88 cm SL male/unsexed		Known from Lake Victoria (Ref. 85523).	No picture yet.

Cichlidae	<i>Haplochromis velifer</i>	Trewavas, 1933	Fr	native			10.80 cm SL male/unsexed			No picture yet.
Cichlidae	<i>Haplochromis venator</i>	Greenwood, 1965	Fr	native			17.80 cm SL male/unsexed			No picture yet.
Cichlidae	<i>Haplochromis vicarius</i>	Trewavas, 1933	Fr	native	Entonga (Chiga), Entonga (Konzo)		11.00 cm TL male/unsexed			
Cichlidae	<i>Haplochromis victoriae</i>	(Greenwood, 1956)	Fr	native			7.60 cm SL male/unsexed			No picture yet.
Cichlidae	<i>Haplochromis victorianus</i>	(Pellegrin, 1904)	Fr	native			16.60 cm SL male/unsexed			No picture yet.
Cichlidae	<i>Haplochromis welcommei</i>	Greenwood, 1966	Fr	native			10.50 cm SL male/unsexed			No picture yet.
Cichlidae	<i>Haplochromis worthingtoni</i>	Regan, 1929	Fr	endemic			14.10 cm SL male/unsexed		Known from Lake Kioga. Found in Lake Nawampasa (Ref. 12255).	No picture yet.
Cichlidae	<i>Haplochromis xenognathus</i>	Greenwood, 1957	Fr	native			11.30 cm SL male/unsexed			
Cichlidae	<i>Haplochromis xenostoma</i>	Regan, 1922	Fr	native			20.30 cm SL male/unsexed			No picture yet.
Alestidae	<i>Hydrocynus forskahlii</i>	(Cuvier, 1819)	Fr	native	Ngasia (Alur), Ngassa (Gungu), Ngassa (Nyoro)		78.00 cm SL male/unsexed		Known from Lake Albert, Murchinson Nile and Albert Nile (Ref. 4903).	
Alestidae	<i>Hydrocynus vittatus</i>	Castelnau, 1861	Fr	native	Wagassa (Nyoro)		105 cm FL male/unsexed ;74.00 cm FL female		Known from Lake Albert, Murchinson Nile and Albert Nile (Ref. 4903).	
Cyprinidae	<i>Labeo coubie</i>	Rüppell, 1832	Fr	native	Kwangurameli (Nyoro)		75.00 cm SL male/unsexed		Present in Lake Albert and the Victoria Nile (Ref. 4903, 49805).	
Cyprinidae	<i>Labeo forskalii</i>	Rüppell, 1835	Fr	native	Omoruma (Nyankore)		36.00 cm TL male/unsexed		Known from Lake Edward, Agoye River and West Nile (Ref. 4903).	
Cyprinidae	<i>Labeo horie</i>	Heckel, 1847	Fr	native	Posso (Alur), Posso (Gungu), Karuka (Nyoro)		57.00 cm TL male/unsexed			
Cyprinidae	<i>Labeo victorianus</i>	Boulenger, 1901	Fr	native	Apok (Lango), Nsuku (Nyoro), Ningu (Swahili)		41.00 cm SL male/unsexed		Reported from Lake Victoria, Lake Kyoga and the Victoria Nile (Ref. 4903).	
									Type locality is 'Sese Islands,	


Cyprinidae	<i>Labeo wernerii</i>	Lohberger, 1929	Fr	native			31.30 cm TL male/unsexed		south coast of Uganda, near Entebbe' according to Ref. 9389, but same reference suggests that this type locality is erroneous.	No picture yet.
Cyprinidae	<i>Labeobarbus alluaudi</i>	(Pellegrin, 1909)	Fr	native			19.80 cm SL male/unsexed			No picture yet.
Cyprinidae	<i>Labeobarbus altianalis</i>	(Boulenger, 1900)	Fr	native	Kisinja (Not specified), Enzuguri (Chiga), Enzunguli (Konzo)		90.00 cm TL male/unsexed	36	Reported from Lake Edward, Lake George, Lake Victoria and Lake Kyoga (Ref. 4903).	
Cyprinidae	<i>Labeobarbus huloti</i>	(Banister, 1976)	Fr	native			28.20 cm SL male/unsexed			No picture yet.
Cyprinidae	<i>Labeobarbus ruwenzorii</i>	(Pellegrin, 1909)	Fr	native			23.10 cm TL male/unsexed			
Cyprinidae	<i>Labeobarbus somereni</i>	(Boulenger, 1911)	Fr	native			40.00 cm SL male/unsexed		Known from Sebwe (Ref. 4903, 83445, 104986), Tokwe, Kirimia (Ref. 4903, 83445) and Mubuku (Ref. 83445) Rivers in the Ruwenzori area.	
Procatopodidae	<i>Laciris pelagica</i>	(Worthington, 1932)	Fr	native			8.00 cm TL male/unsexed		Known from Lake Edward (Ref. 3788, 59344). Also Ref. 27139.	No picture yet.
Procatopodidae	<i>Lacustricola bukobanus</i>	(Ahl, 1924)	Fr	native			5.00 cm TL male/unsexed		Type locality of the holotype of <i>Aplocheilichthys meyburgi</i> : 'Ostafrika, Uganda, Victoria-See, Bucht etwa 2.5 km sö. Kampala' (Ref. 106097). Type locality of the holotype of <i>Micropanchax ericae</i> : 'Ostafrika, Uganda, Victoria-See, 8 Meilen sö. Kampala' (Ref. 106097). Known from Lake Victoria (Ref. 31267, 47311, 106097), Lake Kioga (Ref. 47311), Lake George (Ref. 47311), Lake Edward (Ref. 47311), Lake Albert (Ref. 31267, 47311), Lake Nakavali (Ref. 47311) and Lake Wamala (Ref. 31267, 47311). Also Ref. 27139.	






Procatopodidae	<i>Lacustricola centralis</i>	(Seegers, 1996)	Fr	native			3.26 cm TL male/unsexed	27 km W of Mbarara; also 13 km E of Masindi (Ref. 31267).	
Procatopodidae	<i>Lacustricola kassenjiensis</i>	(Ahl, 1924)	Fr	native	Kasenye lampeye (English), Lake Albert lampeye (English)		3.50 cm TL male/unsexed ;3.00 cm TL female	Known from Lake Albert (Ref. 4903, 47311). Also Ref. 27139.	No picture yet.
Procatopodidae	<i>Lacustricola vitschumbaensis</i>	(Ahl, 1924)	Fr	native			5.50 cm TL male/unsexed	Known from Kazinga Channel (Ref. 47905, 56140) near Mweya (Ref. 31267). Also in Lake Edward and its affluent rivers (Ref. 4903, 47311, 47905, 56140), including Niansimbi Hot Springs (Ref. 4903, 47311). Also the shore regions of northern Lake Victoria (Ref. 4903, 47311, 42005). Possibly present in Lake Kyoga drainage (Ref. 47311). Also Ref. 3788, 27139, 31267.	
Latidae	<i>Lates macrophthalmus</i>	Worthington, 1929	Fr	native			29.00 cm TL male/unsexed		
Latidae	<i>Lates niloticus</i>	(Linnaeus, 1758)	Fr, Fi	native	Mputa (Not specified)		200 cm TL male/unsexed	Introduced to Lake Victoria to feed on abundant but unexploited small size haplochromines, to convert them into larger table fish (Ref. 7270). Introduction to Lake Victoria virtually eliminated numerous unique cichlids in the area and has been the subject of many debates (Ref. 1739). Used to be present also in satellite lakes Bisina (stocked in the early 1970s) and Nawampasa (following extensive flooding), but surveys in 2009 and 2010 did not uncover any specimens (Ref. 125996).	








Danionidae	<i>Leptocypris niloticus</i>	(Joannis, 1835)	Fr	native			9.50 cm TL male/unsexed	Known from Lake Albert (Ref. 4903).	
Malapteruridae	<i>Malapterurus electricus</i>	(Gmelin, 1789)	Fr	native	Adinga (Alur), Ntera (Nyoro)		122 cm SL male/unsexed	Known from the Albert Nile (Ref. 44050).	
Mormyridae	<i>Marcusenius cyprinoides</i>	(Linnaeus, 1758)	Fr	native			33.00 cm SL male/unsexed	Reported from the Albert Nile and the Aswa River (White Nile basin) (Ref. 4903).	No picture yet.
Mormyridae	<i>Marcusenius rheni</i>	(Fowler, 1936)	Fr	native			20.80 cm TL male/unsexed	Type locality of holotype of <i>M. rheni</i> : 'Lake Victoria at Kitala, Uganda' (Ref. 42005). Known from Lake Victoria (Ref. 42005).	
Mormyridae	<i>Marcusenius victoriae</i>	(Worthington, 1929)	Fr	native			26.00 cm TL male/unsexed	Reported from Lake Victoria, Lake Kioga and the Victoria Nile (Ref. 4903).	
Mastacembelidae	<i>Mastacembelus frenatus</i>	Boulenger, 1901	Fr	native			40.00 cm SL male/unsexed	Known from Lakes Victoria, Kyoga and Nabugabo, from Victoria Nile and from Aswa River (Ref. 4903).	
Anabantidae	<i>Microctenopoma damasi</i>	(Poll & Damas, 1939)	Fr	native			7.00 cm TL male/unsexed		
Procatopodidae	<i>Micropanchax loati</i>	(Boulenger, 1901)	Fr	native			4.00 cm TL male/unsexed	Known from Lake Kyoga, Victoria Nile (Ref. 3788) and Lake Victoria drainages (Ref. 3788, 47311). Also Ref. 27139.	
Mormyridae	<i>Mormyrops anguilloides</i>	(Linnaeus, 1758)	Fr	native			150 cm TL male/unsexed		
Mormyridae	<i>Mormyrus caschive</i>	Linnaeus, 1758	Fr	native	Kasuruban (Chiga), Entanana (Konzo), Kasuruban (Konzo)		100.00 cm TL male/unsexed		
					Ntanant (Nyankore), Kasulubana (Nyoro), Kasuruban			Present in Lake Victoria, Lake Kyoga, Lake	









Mormyridae	Mormyrus kannume	Fabricius, 1775	Fr	native	(Chiga), Entanana (Konzo), Kasuruban (Konzo), Kasulu (Not specified), Kasamene (Nyoro)		100.00 cm SL male/unsexed	Albert, Lake George (Ref. 4903) and Lake Edward (Ref. 4903, 55624). In range Ref. 4537.	
Mormyridae	Mormyrus macrocephalus	Worthington, 1929	Fr	endemic			42.00 cm TL male/unsexed	Present in Lake Kyoga, Lake Kwania, the Victoria Nile, dams in the Teso district (Ref. 4903) and the Aswa River (Ref. 4903, 105002). Reported from Lake Victoria near Jinja (Ref. 12526), but not established in the lake (Ref. 4903).	No picture yet.
Mormyridae	Mormyrus niloticus	(Bloch & Schneider, 1801)	Fr	native			46.00 cm TL male/unsexed		No picture yet.
Nothobranchiidae	Nothobranchius albertinensis	Nagy, Watters & Bellstedt, 2020	Fr	endemic			5.04 cm SL male/unsexed	Type locality of the holotype of <i>Nothobranchius albertinensis</i> : 'Uganda: Albert Nile drainage: shallow remnant pools in seasonal riverbed, 20 km north of Pakwach, 02°36'19"N 31°23'04"E' (Ref. 123150). Known from ephemeral pools and marshes of Albert Nile drainage and small river systems into north-eastern part of Lake Albert (Ref. 123150).	No picture yet.
Nothobranchiidae	Nothobranchius elucens	Nagy, 2021	Fr	endemic			3.91 cm SL male/unsexed	Type locality of the holotype of <i>Nothobranchius elucens</i> : 'Uganda: upper Nile drainage: Achwa drainage: ephemeral swamp in the Aringa system, about 2.6 km south of Madi Opei township, 3.575556 N, 33.079167 E' (Ref. 123810). Known from Achwa drainage, upper Nile system (Ref. 123810).	No picture yet.
								Known from the Lake Victoria basin (Ref.	




Nothobranchiidae	<i>Nothobranchius robustus</i>	Ahl, 1935	Fr	native			5.50 cm TL male/unsexed	26661, 59344, 97257), the Lake Albert system (Ref. 26661, 59344, 97257) and the Katonga River (Ref. 59344). Also Ref. 3788, 27139, 97568.	
Nothobranchiidae	<i>Nothobranchius taiti</i>	Nagy, 2019	Fr	native				Type locality of <i>Nothobranchius taiti</i> , ephemeral swamps of the Apapi River System, upper Nile drainage (Ref. 128031).	No picture yet.
Nothobranchiidae	<i>Nothobranchius ugandensis</i>	Wildekamp, 1994	Fr	native			5.00 cm SL male/unsexed	Type locality of the holotype of <i>Nothobranchius ugandensis</i> : 'Southern Uganda: temporary pool at right side of the road Tororo to Jinja, 1 km west of Busesa, 7 km east of Iganga' (Ref. 26661). Known from drainage systems of Lake Albert and Lake Kioga (Ref. 26661, 59344, 97257), and Lake Victoria (Ref. 59344, 97257). Also Ref. 27139.	
Salmonidae	<i>Oncorhynchus mykiss</i>	(Walbaum, 1792)	Fr	introduced			122 cm TL male/unsexed		
Cichlidae	<i>Oreochromis esculentus</i>	(Graham, 1928)	Fr	native	Ngege (Swahili), Carp (English), Nsalia (Kenya), Anagu (Lango), Mnage (Not specified), Mnege (Not specified), Binage (Nyoro)		50.00 cm SL male/unsexed	25.5 TL Reported from Lake Victoria (Ref. 2, 3, 52016), Lake Kyoga (Ref. 2, 3, 4903, 12252, 12468, 27292, 32718, 34290, 54357, 54860, 54979, 55020, 56136, 56137, 59157, 74387) (possibly no longer present, Ref. 58618), Lake Kwania (Ref. 2, 3, 12468, 27292, 34290), Lake Manywa (Ref. 54860), Lake Kijanebalola (Ref. 4903, 54860, 54979), Lake Kayugi, Lake Kayanja, Lake Kachira, Lake Mbuo (Ref. 54860), Lake Bunyoni (Ref. 4903, 59157), Lake Nabugabo (Ref. 2, 3, 4903,	

								12468, 27292, 34290, 54357, 54979)(possibly no longer present, Ref. 56070), the Malawa River (Ref. 2) and the Victoria Nile (Ref. 4903, 12468, 54979, 55020) above the Murchinson Falls (Ref. 2, 27292, 34290).	
Cichlidae	<i>Oreochromis leucostictus</i>	(Trewavas, 1933)	Fr	native	Ngege (Swahili), Kinyamuroro (Nyankore)	36.30 cm SL male/unsexed	30 TL	Reported as native from Lake George (Ref. 2, 21, 87, 164, 2060, 6316, 12227, 12657, 13046, 34290, 39939, 51885, 54836, 55985, 56123, 56137, 56140, 59157), where it is almost completely limited to habitats inshore (Ref. 364), and Lake Albert (Ref. 1739, 2060, 54836, 56123), where it occurs in inshore areas and in lagoons (Ref. 4903). Also known from Lake Edward (probably native)(Ref. 2060, 51885, 54836, 56123, 56137), where it occurs in bays, on exposed shorelines and at the mouths of rivers (Ref. 4903), from lakes Kachira, Mburo (Ref. 54860) and Isungu (Ref. 2), Kazinga Channel (Ref. 55985, 56140), and the rivers Mongedo (Ref. 2060), Ntotoro (Semliki tributary) and Mongello (Ref. 2). Known from tributaries of the Aswa River, where it is not certain whether it occurs naturally or has been introduced (Ref. 2). Introduced to Lakes Kyoga (Ref. 2, 4903, 13046, 56137, 58618), Nabugabo (Ref. 54860, 56070), Wamala (Ref. 4903, 56137), Salisbury (Ref. 56137) and	

									Victoria (Ref. 4903, 51899), and from Lake Albert (Ref. 2, 56137) to dams near Teso (Ref. 2, 164, 56137).		
Cichlidae	<i>Oreochromis mossambicus</i>	(Peters, 1852)	Fr	introduced				39.00 cm SL male/unsexed	Also Ref. 36683.		
Cichlidae	<i>Oreochromis niloticus</i>	(Linnaeus, 1758)	Fr, Fi, Aq	native	Uganda (Swahili), Oro (Alur), Zogora (Alur), Zogoro (Alur), Nsogora (Gungu), Nsogora (Gungu), Ihere (Nyankore), Mahere (Nyankore), Mahere (Nyankore), Matole (Nyankore), Kihorno (Nyoro), Ngege (Nyoro), Ngege (Nyoro), Ngege (Swahili)	abundant (always seen in some numbers)		60.00 cm SL male/unsexed	22 TL	Present in the upper Nile basin: native in at least Albert and Edward; introduced to Lakes Victoria and Kyoga where it contributed to the collapse of the native fisheries. Forms a basis of the fisheries of both lakes. Also Ref. 12228.	
Cichlidae	<i>Oreochromis spilurus</i>	(Günther, 1894)	Fr	introduced				19.20 cm SL male/unsexed ;16.30 cm female			
Cichlidae	<i>Oreochromis variabilis</i>	(Boulenger, 1906)	Fr	native	Ngege (Swahili)			30.00 cm SL male/unsexed		Reported from Lake Kyoga and the Victoria Nile above the Murchinson Falls (Ref. 34290).	
Mormyridae	<i>Petrocephalus catostoma</i>	(Günther, 1866)	Fr	native				15.00 cm FL male/unsexed		Present in Lake Victoria, Lake Nabugabo and Victoria Nile (Ref. 4903).	
Mormyridae	<i>Petrocephalus degeni</i>	Boulenger, 1906	Fr	endemic				8.12 cm SL male/unsexed		Type locality of the holotype of <i>Petrocephalus degeni</i> : 'the mouth of the Katonga River' (Ref. 91771). Known from Katonga River (Ref. 1568, 91771).	No picture yet.
Procatopodidae	<i>Platypanchax modestus</i>	(Pappenheim, 1914)	Fr	native				6.00 cm TL male/unsexed		Known from the Semliki River above the falls (Ref. 59344). Also known from the Rwimi River, 44 km west of	

									Fort Portaland from 12 km west of Fort Portal (Ref. 31267). Also Ref. 3788, 27139.	
Poeciliidae	<i>Poecilia reticulata</i>	Peters, 1859	Fr	introduced	Guppie (French)			5.00 cm SL male/unsexed ;6.00 cm SL female		
Mormyridae	<i>Pollimyrus nigricans</i>	(Boulenger, 1906)	Fr	native				10.00 cm SL male/unsexed	Lakes Victoria, Nabugabo and Kioga (Ref. 4903). Also Kiruni River (Semliki valley) (Ref. 4903).	
Polypteridae	<i>Polypterus senegalus</i>	Cuvier, 1829	Fr	native	Bichir (English), Otell (Alur), Mtona (Gungu)			70.00 cm SL male/unsexed	<i>Polypterus senegalus senegalus</i> is known from Albert Nile River (Ref. 4903, 49805), Lake Albert (Ref. 1878, 4903, 36900, 49843) and Victoria Nile River below Murchison Falls (Ref. 4903, 49805).	
Protopteridae	<i>Protopterus aethiopicus</i>	Heckel, 1851	Fr, Fi	native	Lung-fish (English), Kambale mamba (Swahili), Lut (Alur), Emamba (Chiga), Ehondwe (Konzo), Lut (Lango), Mamba (Nyoro), Mamba (Swahili)	abundant (always seen in some numbers)		200 cm TL male/unsexed	Known from Lakes Victoria, Nabugabo, Albert, Edward and George, the Victoria and Albert Niles (Ref. 4903, Ref. 49805), also from Lake Kyoga (Ref. 34290). Also Ref. 4537, Ref. 36900, Ref. 39939, Ref. 49843.	
Cichlidae	<i>Pseudocrenilabrus multicolor</i>	(Schöller, 1903)	Fr	native				8.00 cm TL male/unsexed		
Danionidae	<i>Raiamas senegalensis</i>	(Steindachner, 1870)	Fr	native				24.50 cm TL male/unsexed	Known from the Aswa River (White Nile basin) (Ref. 4903).	
									Reported from Lake Victoria (Ref. 4903, 41271, 42005) and its satellite lakes Nabugabo (Ref. 4903, 125996) and	

Danionidae	<i>Rastrineobola argentea</i>	(Pellegrin, 1904)	Fr	native	Dagaa (Swahili), Mukene (Not specified)	8.00 cm TL male/unsexed	3.6 SL	Kayanja/Kayanga (Ref. 125996), and from Lake Kyoga (Ref. 4903, 125996) and its satellite lakes Bisina, Nawampasa, Gigati, Omuno and Meito (Ref. 125996). Also present in the Victoria Nile (Ref. 4903, 12526). Also Ref. 2988, 31439.	
Cichlidae	<i>Sarotherodon galilaeus</i>	(Linnaeus, 1758)	Fr	native		39.50 cm TL male/unsexed			
Schilbeidae	<i>Schilbe intermedius</i>	Rüppell, 1832	Fr	native	Karakogere (Nyoro), Nzere (Not specified)	50.00 cm SL male/unsexed		Present in lakes Kioga, Nabugabo, Albert and Victoria, and the drainages of the rivers Aswa, Hohwa and Semliki (Ref. 43912).	
Schilbeidae	<i>Schilbe mystus</i>	(Linnaeus, 1758)	Fr	native		35.00 cm SL male/unsexed		Known from the Semliki River (Ref. 43912).	
Mochokidae	<i>Synodontis afrofisheri</i>	Hilgendorf, 1888	Fr	native		17.70 cm SL male/unsexed		Reported from Lakes Victoria, Nabugabo and Kyoga, from affluent rivers of Lake Victoria and from the Victoria Nile (Ref. 4903).	
Mochokidae	<i>Synodontis frontosus</i>	Vaillant, 1895	Fr	native	Kwoke (Nyoro)	34.20 cm TL male/unsexed		Known from Lake Albert (Ref. 4903, 49805, 87720), Albert Nile (Ref. 4903, 87720) and Victoria Nile (Ref. 4903, 82238, 87720).	
Mochokidae	<i>Synodontis khartoumensis</i>	Abu Gideiri, 1967	Fr	native		21.00 cm TL male/unsexed			No picture yet.
Mochokidae	<i>Synodontis macrops</i>	Greenwood, 1963	Fr	native		17.30 cm TL male/unsexed			
Mochokidae	<i>Synodontis schall</i>	(Bloch & Schneider, 1801)	Fr	native	Kamuduli (Alur), Wahindi (Nyoro)	37.00 cm SL male/unsexed		Known from Lake Albert, the Albert and Murchinson Niles and Semliki River (Ref. 4903).	

Mochokidae	Synodontis victoriae	Boulenger, 1906	Fr	native	Nkolongo (Not specified)		35.00 cm SL male/unsexed	Known from Lake Victoria (Ref. 1568, 4903, 82238), Lake Kyoga (Ref. 4903, 34290, 78218, 82238) and the Victoria Nile (Ref. 4903, 78218).	
Cichlidae	Thoracochromis wingatii	(Boulenger, 1902)	Fr	native			5.30 cm SL male/unsexed		No picture yet.
Clariidae	Xenoclarias eupogon	(Norman, 1928)	Fr	native			20.90 cm SL male/unsexed	Known from Lake Victoria (Ref. 4903, 104726).	
Amphiliidae	Zaireichthys rotundiceps	(Hilgendorf, 1905)	Fr	native			3.79 cm SL male/unsexed	Known from Rwimi River (Ref. 51287).	

1 of 1 [Do not show all](#) | [Jump to: 1](#) | [Go up](#) | [Select another country](#)

[Comments & Corrections](#)

php script by eagbayani, 15/08/07, last modified by mbactong, 24/10/19